


PRODUCT DATA SHEET

MaxiFlex® Comfort™ 34-925

Colour – Coating	Cobalt blue
Colour – Liner	Light grey
Design	3/4 coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	Cotton, Nylon, Spandex
Patent number	EP 1 608 808
Palm thickness (mm)	1.10



Dimensions

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/- 10 mm)	185	195	205	220	225	235	240
Wrist length (mm)	55	55	60	60	70	75	75
Wrist width (mm)	60	60	65	70	70	70	70
Palm width (mm)	79	82	90	94	98	102	104
Over lock colour	Purple	Blue	Red	Orange	White	Yellow	Black

EN Test Results

Test	Notified body	Result/Pass
EN ISO 21420: 2020	TÜV Rheinland	Yes
EN 388:2016 + A1:2018	TÜV Rheinland	4121A
EN 407:2020	TÜV Rheinland	X1XXXX



PRODUCT DATA SHEET

MaxiFlex® Comfort™ 34-925

Typical Performance Values

EN ISO 21420: General requirements Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 1.2 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 25 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 2 Newton


HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867 Hohenstein HTTI)	Certified
Washable	40°C/104°F
Sanitized®	Yes



Special features

Silicone free	Yes
FDA compliant	Yes
Food contact (EU)	Yes
Food contact	Yes (AZ569310)



PRODUCT DATA SHEET

MaxiFlex® Comfort™ 34-925

Packaging

Pairs per poly bag	12
Poly bags per carton	12
Carton count	144
Carton dimensions (mm)	500 x 295 x 270

Weight

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / pair (+/- 6 gram)	34	38	44	52	56	60	62
Gross weight (kg)	5.7	6.5	7.4	8.3	8.8	9.1	9.4
Carton weight (kg)	1	1	1	1	1	1	1
Net weight (kg)	4.7	5.5	6.4	7.3	7.8	8.1	8.4

Issue date: 29/07/2021

