


# PRODUCT DATA SHEET

## MaxiFlex® Ultimate™ with AD-APT® 42-874

<b>Colour – Coating</b>	Black
<b>Colour – Liner</b>	Grey
<b>Design</b>	Palm coated knitwrist
<b>Coating</b>	NBR (Nitrile Butadiene Rubber)
<b>Coating texture</b>	Micro-Foam for Controlled Grip
<b>Liner</b>	Nylon, Spandex
<b>Palm thickness (mm)</b>	1.00



### Dimensions

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
<b>Total glove length (+/- 10 mm)</b>	185	195	205	215	220	225	230	240
<b>Wrist length (mm)</b>	55	60	65	70	70	70	70	75
<b>Wrist width (mm)</b>	65	65	65	70	75	75	80	80
<b>Palm width (mm)</b>	75	80	82	87	94	97	100	105
<b>Over lock colour</b>	Purple	Blue	Red	Orange	White	Yellow	Black	Green

### EN Test Results

Test	Notified body	Result/Pass
<b>EN ISO 21420: 2020</b>	TÜV Rheinland	Yes
<b>EN 388:2016 + A1:2018</b>	TÜV Rheinland	4131A



# PRODUCT DATA SHEET

## MaxiFlex® Ultimate™ with AD-APT® 42-874

### Typical Performance Values

EN ISO 21420 Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 1.2 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 50 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 2 Newton

### HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867 Hohenstein HTTI)	Certified
Washable	60°C/140°F
Sanitized®	Yes



### Special features

Silicone free	Yes
AD-APT®	Yes
Touchscreen compatible	Yes



# PRODUCT DATA SHEET

## MaxiFlex® Ultimate™ with AD-APT® 42-874

### Packaging

Pairs per poly bag	12
Poly bags per carton	12
Carton count	144
Carton dimensions (mm)	500 x 295 x 270

### Weight

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Glove weight / pair (+/- 6 gram)	28	30	34	40	42	44	46	50
Gross weight (kg)	5.1	5.3	5.9	6.8	7.1	7.4	7.6	8.2
Carton weight (kg)	1	1	1	1	1	1	1	1
Net weight (kg)	4.1	4.3	4.9	5.8	6.1	6.4	6.6	7.2

Issue date: 27/07/2020

